

## WEST Search History

DATE: Saturday, January 11, 2003

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
	<i>DB=USPT; PLUR=YES; OP=OR</i>		
L6	grease and 5892280.pn.	0	L6
L5	5,387,888.pn. and by-pass	1	L5
L4	5608261.pn. and by-pass	0	L4
L3	L2 and (capacitor with plates)	62	L3
L2	(ceramic with (carrier or substrate)) and (multiple with plates)	434	L2
L1	(by-pass adj capacitor) and (plurality with plates)	23	L1

END OF SEARCH HISTORY

# WEST Search History

DATE: Friday, January 10, 2003

## Set Name Query

side by side

## Hit Count Set Name

result set

*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L24	L23 and CTE	57	L24
L23	(heat with (flush or planar or level or recessed)) and (semiconductor) and cavity	1407	L23
L22	(heat with (flush or planar or level or recessed))	80098	L22
L21	CTE and carrier and (heat with (flush or planar or level or recessed))	68	L21
L20	CTE and carrier and (heat with (flush or planar or level))	58	L20
L19	CTE and (ceramic with carrier) and cavity and (heat with (slug or sink or plate or spreader or fin))	32	L19

*DB=USPT,PGPB; PLUR=YES; OP=OR*

L18	L17 and CTE	24	L18
L17	carrier and ((ceramic with glass) same advantag\$6)	840	L17
L16	L15 and (cavity adj up)	29	L16
L15	BGA and carrier and (heat with (slug or sink or spreader))	371	L15

*DB=JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L14	BGA and carrier and (heat with (slug or sink or spreader))	11	L14
L13	(glass with ceramic) and semiconductor and (heat with (slug or sink or spreader))	32	L13

*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L12	(glass with ceramic) and semiconductor and (heat with (slug or sink or spreader))	987	L12
-----	---	-----	-----

*DB=JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L11	ceramic and semiconductor and (heat with (slug or sink or spreader))	680	L11
-----	--	-----	-----

*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L10	(ceramic with (carrier or substrate)) and (by-pass adj capacitor)	30	L10
L9	(ceramic with (carrier or substrate)) and (BGA with (depression or recess\$3 or cavity)) and ((heat with (sink or spreader or slug)) with (shoulder or peripher\$3 or raised))	2	L9

*DB=USPT; PLUR=YES; OP=OR*

L8	3440027.pn.	1	L8
----	-------------	---	----

*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR*

L7	(semiconductor) with (carrier or ceramic) and (peripher\$3 with capacitor)	185	L7
----	--	-----	----

*DB=USPT; PLUR=YES; OP=OR*

L6	L5 and capacitor	1	L6
L5	5543661.pn.	1	L5
L4	6475927.pn.	1	L4

DB=USPT,PGPB,JPAB,ENOB,DWPI,TDBD; PLUR=YES; OP=OR

L3	semiconductor and ((cleaning with surface) with (oxide or oxynitride)) and ((etch\$3 or remov\$4) with (oxide or oxynitride))	1751	L3
----	---	------	----

L2	semiconductor and ((cleaning with surface) with (oxide or oxynitride)) and ((etch\$3 or remov\$4) with (oxide or oxynitride))	1751	L2
----	---	------	----

DB=USPT; PLUR=YES; OP=OR

L1	5589422.pn.	1	L1
----	-------------	---	----

END OF SEARCH HISTORY